

SANT GADGE BABA AMRVATI UNIVERSITY
UNIVERSITY CAMPUS, NEAR TAPOWAN,
AMRAVATI - 444 602 (MAHARASHTRA)
 PHONE NO. (0721) 2664385, 2662358 (Ext No.. 240) Email. arstore@sgbau.ac.in GRAM - SGBAU

Quotation Notice No. SGBAU/2/Store/ 162 /2026

Date : 29 .09.2026


QUOTATION NOTICE

To,

Respected Venders

Sealed quotations duly superscripting our Enquiry reference number and due date are invited for the following material as per our terms & conditions attached. Quotations complete in all respect shall be received on or before **09.10 2026 upto 13.00 hours at Central Inward Section (Main Administrative Building),** University Campus, Tapovan, Amravati.

S. No.	Description of Item	Qty
01	Central Administrative Service Unit	
1.01	2.4MP Dual Light Dome Camera -30 Mtr. Image Sensor 2.4MP PS CMOS Image Sensor, Minimum Illumination 0.02 lux@F2.0 (Color, 30 IRE), 0.002 lux@F2.0 (B/W, 30 IRE), 0 lux (IR on), Max. Resolution 1920 (H) × 1080 (V), Angle Adjustment Pan: 0°-360°, Tilt: 0°-78°, Rotation: 0°-360°, Shutter Speed PAL: 1/25 s-1/100,000 s, NTSC: 1/30 s-1/100,000 s, White Balance Auto, Area white Balance, Lens Type Fixed-focal, Lens 3.6mm (2.8mm optional), DORI Distance Lens 3.6 mm: Detect-55.0 m, Observe-22.0 m, Recognize - 11.0 m, Identify-5.5 m Lens 2.8 mm: Detect-44.7 m, Observe-17.9 m, Recognize-8.9 m, Identify-4.5 m, Max. Aperture F2.0, Lens Mount M12, Close Focus Distance 3.6 mm: 0.8 m, 2.8 mm: 0.5 m, Gain Control(AGC) Auto/Manual, S/N Ratio >65 dB Angle of View 3.6 mm: H: 80°, V: 43°, D: 94°; 2.8 mm: H: 100°, V: 54°, D: 117°, Back Light Compensation BLC/IILC/DWDR Video Output, Video output choices of CVI/TVI/AHD/CVBS by one BNC port, Resolution 1080p (1920 × 1080), 960H (960 × 576/960 × 480), Frame Rate CVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps AHD: PAL: 1080p@25 fps NTSC: 1080p@30 fps TVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps CVBS: PAL: 960H NTSC: 960H, Noise Reduction 2D DNR, Privacy Mask Off/On (8 areas, rectangle), Day/Night Auto(ICR)/Color/B/W, IR Number, 2 Warm Light, 2, IR Light IR ,IR Range of 30 Mtr., Warm Light Warm Light Range of 20 Mtr . (Above camera should be compatible with existing CCTV setup.) (Warranty of Camera one year from the date of installation)	03


 Dy. Registrar (Store),
 Sant Gadge Baba Amravati University

Copy for information and necessary action to :

- 1) Asstt. Registrar (Administration), Sant Gadge Baba Amravati University
- 2) Tender Opening Committee e File, Store Section
- 3) Notice Board, Store Section, Sant Gadge Baba Amravati University.
- ✓ 4) Head, Computer Centre, Sant Gadge Baba Amravati University for upload the same on our website please

QUOTATION FORM

To,

Registrar,
Sant Gadge Baba Amravati University,
Amravati

Sub : Supply of 2.4MP Dual Light Dome Camera.

Ref : Quotation Notice No. SGBAU/2/Store/162 /2026, Date: 29.09.2026

R/Sir,

With reference to above I / We M/s.....
quote herewith the rates for Supply of Dome Camera compatible with existing CCTV setup. I / We read & accepted all terms & conditions which is enclosed with this Quotation Form.

S. No	Name of Item	Qty	Rates including all taxes and installation (Per item)	Total Rs. Including all taxes.
1	2	3	4	5
01	Central Administrative Service Unit			
1.01	2.4MP Dual Light Dome Camera -30 Mtr. Image Sensor 2.4MP PS CMOS Image Sensor, Minimum Illumination 0.02 lux@F2.0 (Color, 30 IRE), 0.002 lux@F2.0 (B/W, 30 IRE), 0 lux (IR on), Max. Resolution 1920 (H) × 1080 (V), Angle Adjustment Pan: 0°-360°, Tilt: 0°-78°, Rotation: 0°-360°, Shutter Speed PAL: 1/25 s-1/100,000 s, NTSC: 1/30 s-1/100,000 s, White Balance Auto, Area white Balance, Lens Type Fixed-focal, Lens 3.6mm (2.8mm optional), DORI Distance Lens 3.6 mm: Detect-55.0 m, Observe-22.0 m, Recognize - 11.0 m, Identify-5.5 m Lens 2.8 mm: Detect-44.7 m, Observe-17.9 m, Recognize-8.9 m, Identify-4.5 m, Max. Aperture F2.0, Lens Mount M12, Close Focus Distance 3.6 mm: 0.8 m, 2.8 mm: 0.5 m, Gain Control(AGC) Auto/Manual, S/N Ratio >65 dB Angle of View 3.6 mm: H: 80°, V: 43°, D: 94°; 2.8 mm: H: 100°, V: 54°, D: 117°, Back Light Compensation BLC/HLC/DWDR Video Output, Video output choices of CVI/TVI/AHD/CVBS by one BNC port, Resolution 1080p (1920 × 1080), 960H (960 × 576/960 × 480), Frame Rate CVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps AHD: PAL: 1080p@25 fps NTSC: 1080p@30 fps TVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps CVBS: PAL: 960H NTSC: 960H, Noise Reduction 2D DNR, Privacy Mask Off/On (8 areas, rectangle), Day/Night Auto(ICR)/Color/B/W, IR Number, 2 Warm Light, 2, IR Light IR ,IR Range of 30 Mtr., Warm Light Warm Light Range of 20 Mtr . (Above camera should be compatible with existing CCTV setup.) (Warranty of Camera one year from the date of installation)	03		

Name of Firm.....

VAT No.....

Address

Phone No.....

.....

Mobile No.....

.....

E.mail.....

Pin code No.....

Pan.No.....

Date.....


TIN No.....

DATE

Signature with Stamp of Firm

GENERAL TERMS & CONDITIONS
Quotation Notice No SGBAU /2/Store/ 162/2026, Date 29.09.2026

- 1) Sealed Quotation are invited from experienced Authorized supplier of CCTV Camera
- 2) The completed Quotation should be compulsorily submitted in Central Inward Section (Main Administrative Building) at Sant Gadge Baba Amravati University on or before due date and time.
- 3) Quotation duly filled in will be accepted on or before (date) **09.10.2026** upto **13.00 hours** and will be opened on dated **09.10.2026 at 16.00 hours** in the presence of quotation opening committee, if possible
- 4) The University will not accept any tender after **13.00 hours on** (date) **09.10.2026** Sant Gadge Baba Amravati University will not be responsible for postal delay, non-receipt / non delivery of tender documents or loss of documents in transit.
- 5) The bidder should submit quotation in singal bid envelopes system. While submitting the Quotation bidder shall submit the following documents with price offer (rates) in sealed envelope as under with these terms and conditions. While opening the quotation if the following document are not found in envelope, the quotation will be treated as cancelled.
 - a) Copy of GST Registration Certificate
 - b) Copy of Shop Act Registration Certificate (if available)
 - c) Experience Certificate order copy of the firm, (if available)
 - d) Copy of PAN Card
 - e) Authorization certificate from OEM
- 6) Incomplete quotation not in conformity with our prescribed specifications, terms & condition will be rejected. University has right to accept /reject or all Quotation without assigning any reason's.
- 7) No person or organization submitting tender/quotation should have a interest in any other organization participating in this quotation process. If such direct interest is found, it will be treated as conflict of interest and as result both or more quotations will be rejected. Example: If two firms are submitting quotation for the same project/purchase, the person who is the owner/director/partner/major shareholder of company "X" should not be the same person as owner/director/partner/major shareholder of company "Y". (Enclosed undertaking be submitted with quotation/tender.)
- 8) The suppliers should quote rates for each article quite independent of the rates of other articles, as it will be the right of the University to accept the offer partially or fully. Rates to be mentioned F.O.R. Stores/Respective Dept. & including all taxes.
- 9) University has right to reject any part or full articles if the quality of material is disapproved & will be kept in Stores / Dept./Section at supplier's risk only. It should be replaced at suppliers own cost within seven days.
- 10) Weight quality/Quantity of the materials will be confirmed after our Checking at our stores/Respective Deptt. & the shortage in any terms is found, amount will be deducted from the invoice.
- 11) The terms of payment in advance will not be accepted.
- 12) No negotiation will be done.
- 13) **Term of payment:** Payment to be made to the supplier will subject to the deduction of taxes applicable sources at the rate in force time to time and after satisfactory supply.
- 14) In case of substandard material, the supplier shall have to replace the same goods within 7 days, otherwise penalty of Rs. 100/- per day will be charged and 2% penalty at the cost of material due to substandard supply .In case of defects noticed during use of material supplied by the supplier within 4 months from the date of supply. (The supplier will require to repair / replace the materials etc failing which the material will be repaired / purchased from another agency and the difference in cost, if any adjusted from the Security Deposit or other any pending bills of the supplier.)
- 15) Any dispute arising out of or relating to this enquiry/-tender or during the period of the decision of Hon. Vice-Chancellor shall be final.


Deputy Registrar (Store),
Sant Gadge Baba Amravati University

I / We have read carefully and have understood the same in vernacular known to me / us about all the General Terms & Conditions & Standard Terms & Conditions and I / we hereby agrees to the same and shall abide by them hence this verification.

Signature of Supplier with rubber seal of the firm

DATA SHEET

Quotation Notice No SGBAU /2/Store/162 /2026-27, Date 29 .09.2026

Sr. No.	Description of Required items	Details specification of quoted items	Make and Model No.
1	2	3	4
1.01	2.4MP Dual Light Dome Camera -30 Mtr. Image Sensor 2.4MP PS CMOS Image Sensor, Minimum Illumination 0.02 lux@F2.0 (Color, 30 IRE), 0.002 lux@F2.0 (B/W, 30 IRE), 0 lux (IR on), Max. Resolution 1920 (H) × 1080 (V), Angle Adjustment Pan: 0°–360°, Tilt: 0°–78°, Rotation: 0°–360°, Shutter Speed PAL: 1/25 s–1/100,000 s, NTSC: 1/30 s–1/100,000 s, White Balance Auto, Area white Balance, Lens Type Fixed-focal, Lens 3.6mm (2.8mm optional), DORI Distance Lens 3.6 mm: Detect-55.0 m, Observe-22.0 m, Recognize - 11.0 m, Identify-5.5 m Lens 2.8 mm: Detect-44.7 m, Observe-17.9 m, Recognize-8.9 m, Identify-4.5 m, Max. Aperture F2.0, Lens Mount M12, Close Focus Distance 3.6 mm: 0.8 m, 2.8 mm: 0.5 m, Gain Control(AGC) Auto/Manual, S/N Ratio >65 dB Angle of View 3.6 mm: H: 80°, V: 43°, D: 94°; 2.8 mm: H: 100°, V: 54°, D: 117°, Back Light Compensation BLC/HLC/DWDR Video Output, Video output choices of CVI/TVI/AHD/CVBS by one BNC port, Resolution 1080p (1920 × 1080), 960H (960 × 576/960 × 480), Frame Rate CVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps AHD: PAL: 1080p@25 fps NTSC: 1080p@30 fps TVI: PAL: 1080p@25 fps NTSC: 1080p@30 fps CVBS: PAL: 960H NTSC: 960H, Noise Reduction 2D DNR, Privacy Mask Off/On (8 areas, rectangle), Day/Night Auto(ICR)/Color/B/W, IR Number, 2 Warm Light, 2, IR Light IR ,IR Range of 30 Mtr., Warm Light Warm Light Range of 20 Mtr . <u>(Above camera should be compatible with existing CCTV setup.)</u> <u>(Warranty of Camera one year from the date of installation.)</u>		

Date :

Signature of Supplier with rubber seal of the firm

UNDERTAKING REGARDING OWNERSHIP/DIRECTORSHIP/PARTNERSHIP

(To be executed on plain paper and self signed)

I/We-----

owner/director/partner/major shareholder of company of M/s.-----

_____ hereby declare that myself as a owner/director/partner/major shareholder of company
of any other firm has not been participated in this quotation/tender process

Signature with Stamp

Name.....

Address :.....

.....